## **Refine Search**

## Search Results -

Terms	Documents
L9 and L13	166

US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database

Derwent World Patents Index IBM Technical Disclosure Bulletins

US Pre-Grant Publication Full-Text Database

Search:

14		
	▼	

Refine Search





Interrupt

## **Search History**

DATE: Friday, September 07, 2007 Purge Queries Printable Copy Create Case

Set Name side by sid		Hit Count	Set Name result set
•	GPB, USPT, EPAB, JPAB, DWPI, TDBD; PLUR=YES; OP=OR		
<u>L14</u>	19 and L13	166	<u>L14</u>
<u>L13</u>	(add\$ or subtract\$ or calculat\$) near2 data	366886	<u>L13</u>
<u>L12</u>	purse adj (memory or block)	28	<u>L12</u>
<u>L11</u>	13 and L10	3	<u>L11</u>
<u>L10</u>	l4 and L9	144	<u>L10</u>
<u>L9</u>	17 and 18 and 16 and 15	192	<u>L9</u>
<u>L8</u>	(user or program) adj2 (area or memory or space)	146067	<u>L8</u>
<u>L7</u>	(index or definition) near2 (area or block)	23446	<u>L7</u>
<u>L6</u>	(security or privileg\$ or permission) near2 (access or right)	34587	<u>L6</u>
<u>L5</u>	allocat\$ near3 (memory or space or block)	62598	<u>L5</u>
<u>L4</u>	(ic or (integrated adj circuit) or smart or flash or memory) adj2 card	174525	<u>L4</u>
<u>L3</u>	11 or 12	705	<u>L3</u>
<u>L2</u>	TAKADA-MASAYUKI\$.in.	576	<u>L2</u>
<u>L1</u>	KUSAKABE-SUSUMU\$.in.	175	<u>L1</u>



Home | Login | Logout | Access Information | Alerts | Purchase History | \* Cart | Sitemap | Help

## Welcome United States Patent and Trademark Office

**□** Search Session History

BROWSE

Fri, 7 Sep 2007, 2:07:40 PM EST

Search Query Display

SEARCH

**IEEE XPLORE GUIDE** 

**SUPPORT** 

Edit an existing query or compose a new query in the Search Query Display.

Select a search number (#)

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- · Delete a search
- Run a search

	•	

Rece	nt Search Queries	Results
<u>#1</u>	(((memory or ic or smart) and card) <in>metadata)</in>	1353
<u>#2</u>	((((((memory or ic or smart) and card) <in>metadata))<and> (allocat*<in>metadata))</in></and></in>	. 20
<u>#3</u>	<ul> <li>((((((((memory or ic or smart) and card)<in>metadata))<and>         (allocat*<in>metadata)))<and>(secur* <or> privilege or permission<in>metadata))</in></or></and></in></and></in></li> </ul>	4
<u>#4</u>	(purse block <in>metadata)</in>	0



Help Contact Us Privacy & Security IEEE.org
© Copyright 2006 IEEE – All Rights Reserved